

# JOURNAL OF NEMATOLOGY

INST PARASITOL

*Official Journal of*

**THE SOCIETY OF NEMATOLOGISTS**

---

VOLUME 10  
QUARTERLY IN  
1978

Editor-in-Chief

**BENJAMIN F. LOWNSBERY**

Editorial Board

|                       |                   |
|-----------------------|-------------------|
| W. Duane Hope         | Richard S. Hussey |
| Roland H. Mulvey      | Howard Ferris     |
| Benjamin F. Lownsbery |                   |

Associate Editors

|                  |                   |
|------------------|-------------------|
| James G. Baldwin | Donald P. Schmitt |
| A. W. Johnson    | D. R. Viglierchio |
| J. A. Veech      | I. A. Siddiqui    |

# CONTENTS

## JOURNAL OF NEMATOLOGY

Vol. 10, No. 1

January 1978

|  |     |
|--|-----|
| The Genetics of Development and Behavior in <i>Caenorhabditis elegans</i> :<br>Donald L. Riddle .....  | 1   |
| Interaction of <i>Pratylenchus brachyurus</i> and <i>Gigaspora margarita</i> on Cotton:<br>R. S. Hussey and R. W. Roncadori .....  | 16  |
| <i>Drilomermis leioderma</i> n. gen., n. sp. (Mermithidae:Nematoda) parasitizing<br><i>Cybister fimbriolatus</i> (Say) (Dystiscidae:Coleoptera): George O. Poinar,<br>Jr., and James J. Petersen ..... | 20  |
| Population Densities of Nematodes Under Seven Tillage Regimes: S. H.<br>Thomas .....   | 24  |
| Descriptions of Females (Emended), a Male, and Juveniles of <i>Paralongidorus<br/>microlaimus</i> (Nematoda: Longidoridae): R. T. Robbins .....  | 28  |
| Peroxidase and 6-Phosphogluconate Dehydrogenase in Resistant and Sus-<br>ceptible Cotton Infected by <i>Meloidogyne incognita</i> : Gregory R. Noel and<br>Michael A. McClure .....                    | 34  |
| Development of a Soil-temperature Data Base on <i>Meloidogyne arenaria</i> for<br>a Simulation Model: H. Ferris, H. S. Du Vernay and R. H. Small .....   | 39  |
| Effects of Cultivars, Subsoiling, and Fumigation on Soybean Yields and<br><i>Meloidogyne incognita</i> Populations: N. A. Minton, M. B. Parker, and<br>B. G. Mullinix, Jr. ....                        | 43  |
| Anatomical Response of Grain Sorghum Roots to <i>Meloidogyne incognita<br/>acrita</i> : Calvin C. Orr and E. D. Morey .....  | 48  |
| Salts and the Infectivity of <i>Romanomermis culicivorax</i> : B. J. Brown and<br>E. G. Platzer .....  | 53  |
| Criconeematinae Habitats and <i>Lobocriconema thornei</i> n. sp. (Criconeematidae:<br>Nematoda): Natalie Knobloch and G. W. Bird .....   | 61  |
| Early Stages of Nematode-induced Giant-cell Formation in Roots of<br><i>Impatiens balsamina</i> : M. G. K. Jones and H. L. Payne .....   | 70  |
| Ingestion, Retention, and Transmission of two Strains of Raspberry Ring-<br>spot Virus by <i>Longidorus macrosoma</i> : D. L. Trudgill and D. J. F. Brown .....  | 85  |
| Effects of Cycloate on Development of <i>Heterodera schachtii</i> and Growth of<br>Three <i>Beta</i> Species: Cyrus Abivardi and Jack Altman .....   | 90  |
| The Influence of <i>Pratylenchus penetrans</i> on the Incidence and Severity of<br>Verticillium Wilt of Potato: L. L. Burpee and J. R. Bloom .....   | 95  |
| Effects of Aldicarb and Its Sulfoxide and Sulfone on the Biology of<br><i>Tylenchulus semipenetrans</i> : S. P. Huang and S. D. Van Gundy .....  | 100 |

## Vol. 10, No. 2

April 1978

|  |     |
|--|-----|
| Root-Knot Nematodes and the Process of Ageing in Plants: S. G. Mjuge and R. H. Estey .....   | 107 |
| Oxygen and the Infectivity of <i>Romanomermis culicivorax</i> : B. J. Brown and E. G. Platzer .....  | 110 |
| Hybridization of Races of <i>Heterodera glycines</i> : Mazo Price, C. E. Caviness, and R. D. Riggs .....   | 114 |
| Scanning Electron Microscopy of Perineal Patterns of Three species of <i>Meloidogyne</i> : Choi-Pheng Yik and W. Birchfield .....  | 118 |
| Effects of Nematicides on Nematode Densities in Turf in Connecticut: P. M. Miller .....  | 122 |
| External Morphology of the Spicules of some Trichodoridae: R. Rodriguez-M. and A. H. Bell .....  | 127 |
| Three New Species of Trichodoridae (Nematoda: Diphtherophorina) with Observations on the Vulva in <i>Paratrichodorus</i> : R. Rodriguez-M. and A. H. Bell .....                                  | 132 |
| Systematics of the Monodelphic Species of Trichodoridae (Nematoda: Diphtherophorina) With Descriptions of a New Genus and Four New Species: R. Rodriguez-M., S. A. Sher, and M. R. Siddiqi ..... | 141 |
| Intraspecific Morphological Variation Among Populations of <i>Pratylenchus brachyurus</i> and <i>P. coffeae</i> : A. C. Tarjan and J. J. Frederick .....   | 152 |
| Corn Yield Increases Relative to Nonfumigant Chemical Control of Nematodes: Don C. Norton, Jon Tollefson, Paul Hinz, and Stephen H. Thomas .....   | 160 |
| Influence of Low Temperature on Rate of Development of <i>Meloidogyne incognita</i> and <i>M. hapla</i> Larvae: T. C. Vrain, K. R. Barker, and G. I. Holtzman .....                              | 166 |
| Community Analyses of Plant-Parasitic Nematodes in the Kalsow Prairie, Iowa: Don C. Norton and Donald P. Schmitt .....   | 171 |
| Influence of Chilling and Freezing Temperatures on Infectivity of <i>Meloidogyne incognita</i> and <i>M. hapla</i> : T. C. Vrain .....   | 177 |
| Reaction of Citrus Rootstocks to <i>Meloidogyne javanica</i> : R. N. Inserra, G. Perrotta, N. Vovlas, and A. Catara .....  | 181 |
| Iontophoretic Cobalt Staining of the Body Wall of <i>Phocanema decipiens</i> : Clare Bradley and Neil A. Croll .....   | 184 |
| Ontogeny of <i>Daucus carota</i> Infected with <i>Meloidogyne hapla</i> : L. A. Slinger and G. W. Bird .....   | 188 |
| Effects of Temperature on the Pathogenicity of <i>Tylenchorhynchus clarus</i> to Alfalfa and Observations on Feeding: Gregory R. Noel and B. F. Lownsbury .....                                  | 195 |
| Modification of a Computer Simulation Model for a Plant-Nematode System: H. Ferris .....   | 198 |
| <i>Dolichodorus aestuarius</i> n. sp. (Nematode: Dolichodoridae): F. H. Chow and A. L. Taylor .....  | 201 |



|  |     |
|--|-----|
| Phytoparasitic Nematodes Adjacent to Established Strawberry Plantations:<br>R. V. Crow and D. H. MacDonald ..... | 204 |
|--|-----|

# RESEARCH NOTE

|  |     |
|--|-----|
| The Effect of Diflubenzuron on Egg Formation by the Root-Knot Nema-<br>tode: Joseph A. Veech ..... | 208 |
|--|-----|

## Vol.10, No. 3

July 1978

|  |     |
|--|-----|
| Influence of Metyrapone on Development of <i>Heterodera glycines</i> : D. M.<br>Evans and J. A. Fox .....  | 211 |
| Movement and Persistence of 1,2-dibromo-3-chloropropane in a Soil with a<br>Plow-pan: E. C. Bernard and R. S. Hussey .....   | 217 |
| Resistant Host Responses to Ten California Populations of <i>Meloidogyne</i><br><i>incognita</i> : D. R. Viglierchio .....   | 224 |
| Influence of Soil Fumigation on the Fusarium-Root-knot Nematode Disease<br>Complex of Cotton in California: E. C. Jorgenson, A. H. Hyer, R. H.<br>Garber, and Shirley N. Smith ..... | 228 |
| Pathogenicity of <i>Macroposthonia xenoplax</i> to Walnut: B. F. Lownsbery,<br>E. H. Moody, A. Moretto, G. R. Noel, and T. M. Burlando .....   | 232 |
| Parasitism of <i>Meloidogyne</i> eggs by a new fungal parasite: G. R. Stirling and<br>R. Mankau .....  | 236 |
| Infectivity of <i>Neoaplectana carpocapsae</i> and <i>Heterorhabditis heliothidis</i> to<br>pupae of the parasite <i>Apanteles militaris</i> : Harry K. Kaya .....                   | 241 |
| Ontogeny and Identification of Life-Cycle Stages of <i>Criconea octangulare</i><br>(Cobb, 1914) Taylor, 1936: Natalie A. Knobloch .....  | 245 |
| A New Ataloderinae (Nematoda: Heteroderidae), <i>Thecavermiculatus</i><br><i>gracililancea</i> n. gen., n. sp.: R. T. Robbins .....  | 250 |
| Influence of Population Densities of <i>Heterodera schachtii</i> on Sugar Beets<br>Grown in Microplots: Th. H. A. Olthof .....   | 255 |
| Growth Response of Three Vegetables to Smooth- and Crenate-Tailed<br>Females of Three Species of <i>Pratylenchus</i> : J. L. Townshend, R. Tarte,<br>and W. F. Mai .....             | 259 |
| The Sterol, Fatty Acid, and Hydrocarbon Composition of <i>Globodera</i><br><i>solanacearum</i> : D. M. Orcutt, J. A. Fox, and C. A. Jake .....                                       | 264 |
| <i>Meloidogyne incognita wartellei</i> n. subsp. (Meloidogynidae), a Root-knot<br>Nematode on Resistant Soybeans in Louisiana: A. Morgan Golden and<br>Wray Birchfield .....         | 269 |

# RESEARCH NOTE

|   |     |
|---|-----|
| Measuring area and perimeter of second-stage larvae and males with the<br>image-analyzing computer to distinguish between <i>Globodera rostochiensis</i><br>and <i>G. pallida</i> : Javier Franco ..... | 278 |
|---|-----|

# CONTENTS

## JOURNAL OF NEMATOLOGY

Vol. 10, No. 4

October 1978

|  |     |
|--|-----|
| Abstracts of Papers Presented at the Seventeenth Annual Meeting of the Society of Nematologists, Hot Springs, Arkansas, 7-10 August, 1978 .....                              | 281 |
| Temperature-based Prediction of Egg-Mass Production by <i>Meloidogyne incognita</i> : Diana G. Carlson and J. A. Rothfus .....   | 303 |
| Evaluation of the Protective and Therapeutic Properties of DBCP for Control of Root-Knot Nematode on Tomato: M. V. McKenry and P. Naylor .....                               | 307 |
| Influence of Low Temperature on Development of <i>Meloidogyne incognita</i> and <i>M. hapla</i> Eggs in Egg Masses: T. C. Vrain and K. R. Barker .....                       | 311 |
| Influence of Potential Difference and Current on the Electrotaxis of <i>Caenorhaditis elegans</i> : Nirmal C. Sukul and Neil A. Croll .....                                  | 314 |
| Infectivity of <i>Pratylenchus penetrans</i> on Alfalfa: J. L. Townshend .....   | 318 |
| Molecular Polymorphism and Phylogenetic Relationship in some <i>Meloidogyne</i> spp.: Application to the Taxonomy of <i>Meloidogyne</i> : A. Dalmasso and J. B. Berge .....  | 323 |
| The Nematode <i>Heterotylenchus autumnalis</i> and Face Fly <i>Musca autumnalis</i> : A Field Study in Northern California: Harry K. Kaya and Roger D. Moon .....            | 333 |
| Nematode Economic Thresholds: Derivation, Requirements, and Theoretical Considerations: H. Ferris .....  | 341 |
| Interaction Between <i>Neoplectana carpocapsae</i> and a Granulosis Virus of the Armyworm <i>Pseudaletia unipuncta</i> : Harry K. Kaya and Mary Anne Brayton .....           | 350 |
| <i>Meloidogyne grahami</i> n. sp. (Meloidogynidae), A Root-knot Nematode on Resistant Tobacco in South Carolina: A. Morgan Golden and L. J. Slana .....                      | 355 |
| Distribution of <i>Nothanguina phyllobia</i> and Its Potential as a Biological Control Agent for Silver-leaf Nightshade: A. F. Robinson, C. C. Orr and J. R. Abernathy ..... | 362 |

## RESEARCH NOTES

|   |     |
|---|-----|
| Amino Acids and Carbohydrates Secreted by <i>Meloidogyne incognita</i> : E. L. H. Wang and G. B. Bergeson .....                                   | 367 |
| Reaction of Banana Cultivars to the Burrowing Nematode ( <i>Radopholus similis</i> ): E. J. Wehunt, D. J. Hutchison, and D. I. Edwards .....      | 368 |
| Restoration of Morphological Features of <i>Globodera pallida</i> After Storage in Formalin: J. Franco and K. Evans .....                         | 370 |
| Effects of Aldicarb on Fusarium Wilt-Root-Knot Nematode Disease of Cotton: E. C. Jorgenson .....  | 372 |
| Toxicity to <i>Tylenchorhynchus dubius</i> and <i>Hoplolaimus galeatus</i> of Newly Unwrapped Plastic Containers: P. M. Miller .....              | 374 |
| A Simple Method of Processing Nematodes for Electron Microscopy: Michael A. McClure and L. J. Stowell .....                                       | 376 |
| Effects of Oxamyl on the Reproduction of <i>Meloidogyne hapla</i> and <i>Heterodera schachtii</i> : J. L. Starr, W. F. Mai, and G. S. Abawi ..... | 378 |

|                                  |   |
|----------------------------------|---|
| INDEX FOR VOLUME 10 (1978) ..... | 2 |
|----------------------------------|---|

|  |     |
|--|-----|
| TABLE OF CONTENTS FOR VOLUME 10 (1978) ..... | i-v |
|--|-----|

